

Author index

- Abe, Y. 9
Al-Masoudi, N.A. 95
Albers, K.E. 49
Albersheim, P. 295
Aoki, N. 17
Apperley, D.C. 131
Arai, N. 17
- Bakx, E.J. 343
Belogortseva, N.I. 193
Benazza, M. 421
Bernabé, M. 285
Bombard, S. 433
Brisson, J.-R. 333
Brockhausen, I. 403
Bundle, D.R. 381
- Cabaret, D. 25
Capmau, M.-L. 433
Cescutti, P. 371
Choo, C.G. 49
Crépeau, M.-J. 155
- Darvill, A.G. 295
Demailly, G. 421
Desai, U.R. 391
Du, Y. 259, 413
- Evtushenko, E.V. 193
- Fett, W.F. 371
Flari, V. 207
Flippen-Anderson, J.L. 117
Fraser, W. 275
Fujiwara, M. 9
Furuhata, K. 17
- Geoffroy, M. 245
Gil-Serrano, A.M. 285
Gleason, W.B. 49
- González-Jiménez, I. 285
Gorshkova, R.P. 147
Grabber, J.H. 167
Greven, R. 83
Grey, A.A. 221
- Hahn, M.G. 295
Harata, K. 9
Hatfield, R.D. 167
Hayashi, K. 67
Hindsgaul, O. 381
Hizukuri, S. 361
Honda, Y. 215
- Inoue, S. 185
Inoue, Y. 185
Ishida, H. 17
Ivanova, E.P. 147
- Jain, R.K. 231
Jarvis, M.C. 131
Jeffrey, G.A. 25
Jennings, H.J. 333
Jiménez-Barbero, J. 285
Jindrich, J. 1
Jütten, P. 83
- Kasper, D.L. 333
Kato, K. 319
Kitajima, K. 185
Knirel, Y.A. 147, 201
Kong, F. 259, 413
Kováč, P. 117, 295
Kuwahara, M. 215
Kuzuhara, H. 33
- Landry, D.W. 179
Lei, P. 117
Li, P. 179
Limberg, G. 107

- Lindberg, B. 1
Linhardt, R.J. 391
- Maillet, M. 433
Massoui, M. 421
Matoub, M. 207
Matsue, R. 215
Matta, K.L. 231
Megías, M. 285
Meinjohnns, E. 221
Mikheyskaya, L.V. 193
Mischnick, P. 309
Muto, Y. 185
Myllärinen, P. 361
- Nagata, T. 67
Nakamura, S. 17
Nazarenko, E.L. 147
Niimi, T. 185
Nunome, T. 319
- Ogawa, Y. 117
Ohbu, K. 9
Ojala, W.H. 49
Osman, S.F. 371
Otter, A. 381
Ovodov, Y.S. 147, 193
Ovodova, R.G. 193
- Paramonov, N.A. 147
Paulsen, H. 221, 403
Pavliak, V. 333
Pervin, A. 391
Pfleiderer, W. 95
Piskorz, C.F. 231
Pitha, J. 1
- Ralph, J. 167
Reck, F. 221, 403
Renard, C.M.G.C. 155
Romero-Vázquez, M.J. 285
Rouland, C. 207
- Saegusa, Y. 17
Saenger, W. 73
Sakairi, N. 33
Sakamoto, M. 17
Schachter, H. 221, 403
Scharf, H.-D. 83
- Schols, H.A. 343
Schulman, A.H. 361
Schwalbe, C.H. 275
Shashkov, A.S. 147, 201
Sidorczyk, Z. 201
Sone, Y. 319
Springer, M. 403
Steffan, W. 295
Steiner, T. 73
Sun, L. 179
Suzuki, A. 361
Suzuki, S. 17
Swierzko, A. 201
- Taguchi, T. 185
Tan, J. 221
Tariq, M.A. 67
Tejero Mateo, P. 285
Thibault, J.-F. 155
Thiem, J. 107
Tokuyasu, K. 67
Tomooka, S. 361
Tronchet, J.M.J. 245
Tzianabos, A.O. 333
- Uhrín, D. 333
Uzan, R. 421
- Vierhuis, E. 343
Vinogradov, E.V. 201
Vlahov, I.R. 391
Voragen, A.G.J. 343
- Wakselman, M. 25
Wang, L.-X. 33
Watanabe, T. 215
Weisleder, D. 371
Wilke, O. 309
Wingert, L.M. 25
Worthington, V.L. 275
- Yamamoto, Y. 319
Yamauchi, R. 319
Yokoyama, S. 185
- Zhao, K. 179
Zsély, M. 245
Zubkov, V.A. 147

Subject index

β -(1 \rightarrow 2)-*N*-Acetylglucosaminyltransferase II

Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant β -(1 \rightarrow 2)-*N*-acetylglucosaminyltransferase II 221

N-Acetylglucosaminyltransferase II

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

N-Acetylglucosaminyltransferases

Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant β -(1 \rightarrow 2)-*N*-acetylglucosaminyltransferase II 221

Acidic exopolysaccharide structure

The structure of the acidic exopolysaccharide produced by *Pseudomonas* "gingeri" strain Pf9 371

Acylation

Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215

Acylglycoside

Crystal structures of methyl 6-*O*-acyl- α -D-galactopyranosides 9

Affinity chromatography

Isolation and characterization of a new β -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193

Alditols

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

Aldono-1,4-lactones

β -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

5-Alkyl- and 5-halo-pyrimidines

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- β -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

Alteromonas

Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147

Amylopectin

Structural analysis of starch from normal and *shx* (shrunk endosperm) barley (*Hordeum vulgare* L.) 361

Amylose

Structural analysis of starch from normal and *shx* (shrunk endosperm) barley (*Hordeum vulgare* L.) 361

2',3'-Anhydronucleosides

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- β -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

Antibiotics

Stereoselective synthesis of L-vancosamine methyl β -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83

Antibody

Characterization of a monoclonal antibody that recognizes an arabinosylated (1 \rightarrow 6)- β -D-galactan epitope in plant complex carbohydrates 295

O-Antigen

The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201

Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285

Antigenic determinant

Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-*O*-methyl- α -D-mannopyranoside, the methyl α -glycoside of the terminal unit, and presumed

- antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
- Apple
Different populations of pectic hairy regions occur in apple cell walls 343
- Arabinogalactan
Characterization of a monoclonal antibody that recognizes an arabinosylated (1 → 6)- β -D-galactan epitope in plant complex carbohydrates 295
- Average solution conformation
Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
- 5'-Azido-5'-deoxyxylonucleosides
Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- β -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95
- Bacterial polysaccharides
The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Bacteroides fragilis*
Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
- Barley
Structural analysis of starch from normal and *shx* (shrunken endosperm) barley (*Hordeum vulgare* L.) 361
- Branched-chain amino sugars
Stereoselective synthesis of L-vancosamine methyl β -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83
- Calcium
Chain conformation in concentrated pectic gels: evidence from ^{13}C NMR 131
- Capsular polysaccharide
Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
- Carafate
Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
- Carbohydrate-binding protein
Isolation and characterization of a new β -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193
- Cationic starch
Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309
- Cellobiose phosphorylase
Synthesis and structural analysis of disaccharides of 4-*O*- β -D-glucopyranosyl-D-glucosamine and 4-*O*- β -glucopyranosyl-2-deoxy-D-glucose 67
- Cellvibrio gilvus*
Synthesis and structural analysis of disaccharides of 4-*O*- β -D-glucopyranosyl-D-glucosamine and 4-*O*- β -glucopyranosyl-2-deoxy-D-glucose 67
- Chaetopterus variopedatus*
Isolation and characterization of a new β -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193
- ^{13}C -labeling
Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
- ^{13}C NMR
Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-(β -D-galactopyranosyl)-(1 → 3)-2-acetamido-2-deoxy- α -D-galactopyranoside as potential compounds for sulfotransferases 231
- ^{13}C NMR of pentaantennary glycan
Complete assignments of ^{13}C NMR resonances to all the carbon atoms of the trimannosido-di-*N*-acetylchitobiosyl structure in a pentaantennary deca-saccharide glycopeptide 185
- Conformation
Chain conformation in concentrated pectic gels: evidence from ^{13}C NMR 131
Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- α -L-arabinopyranose 259
The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- Crystal structure
Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- β -cyclodextrin) 73
- Cyclodehydration
Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421
- β -Cyclodextrin
Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- β -cyclodextrin) 73
- Cyclodextrins
Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1

3',5'-Diazido-3',5'-dideoxyribonucleosides

Synthesis and reactions of 1-(5-azido-5-deoxy-3-*O*-*p*-toluenesulfonyl- β -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

Dihedral angles

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

Dimethyl- β -cyclodextrin

Crystal structure of anhydrous heptakis-(2,6-di-*O*-methyl)cyclomaltoheptaose (dimethyl- β -cyclodextrin) 73

2,6-Dioxabicyclo[3.1.1]heptanes

Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- α -L-arabinopyranose 259

2,7-Dioxabicyclo[4.1.0]heptanes

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-*O*-benzyl- α -D-fucopyranose 413

2D NMR

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

Egg-box form

Chain conformation in concentrated pectic gels: evidence from ^{13}C NMR 131

 β -Elimination

β -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

Enzymic degradation

Different populations of pectic hairy regions occur in apple cell walls 343

Epitope

Characterization of a monoclonal antibody that recognizes an arabinosylated (1 \rightarrow 6)- β -D-galactan epitope in plant complex carbohydrates 295

EPR spectroscopy

Spin-labelled glycolipid analogues: D-glucose series 245

Exocellular polysaccharide

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

Extraction

Different populations of pectic hairy regions occur in apple cell walls 343

FAB mass spectroscopy

Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-(β -D-galactopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-galactopyranoside as potential compounds for sulfotransferases 231

Ferrier's carbocyclization

Synthesis of 1*D*-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3-cyclohexanetriol and its incorporation into a pseudo-disaccharide 33

Ferulate polysaccharide esters

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

Fibroblast growth factor

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

(1 \rightarrow 6)- β -D-Galactan

Characterization of a monoclonal antibody that recognizes an arabinosylated (1 \rightarrow 6)- β -D-galactan epitope in plant complex carbohydrates 295

Galacturonan

Chain conformation in concentrated pectic gels: evidence from ^{13}C NMR 131

Structure of the repeating units in the rhamno-galacturonic backbone of apple, beet and citrus pectins 155

Gal-specific lectin

Isolation and characterization of a new β -galactose-specific lectin from the sea worm *Chaetopterus variopedatus* 193

GCOSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

GDQF-COSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

4-*O*- β -D-Glucopyranosyl-2-deoxy-D-glucose

Synthesis and structural analysis of disaccharides of 4-*O*- β -D-glucopyranosyl-D-glucosamine and 4-*O*- β -glucopyranosyl-2-deoxy-D-glucose 67

4-*O*- β -D-Glucopyranosyl-D-glucosamine

Synthesis and structural analysis of disaccharides of 4-*O*- β -D-glucopyranosyl-D-glucosamine and 4-*O*- β -glucopyranosyl-2-deoxy-D-glucose 67

Glucosyltransferase inactivation

Inactivation of two D-glucosyltransferases from Serotype c *Streptococcus mutans* 103220T by 1,2-epoxy-3-(α -D-glucopyranosyl)propane 433

N-Glycan substrates

Synthesis of pentasaccharide analogues of the N-glycan substrates of N-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant β -(1 \rightarrow 2)-N-acetylglucosaminyltransferase II 221

N-Glycopeptide biosynthesis

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der N-Acetylglucosaminyltransferase II 403

Glycosaminoglycans

Carbohydrates with relevance to the structure of glycosaminoglycans: The crystal structures of 2-deoxy-2-(sulfoamino)- α -D-glucopyranose sodium salt dihydrate, 2-amino-2-deoxy- α , β -D-glucopyranose 3-(hydrogen sulfate) monohydrate, and 2-amino-2-deoxy- α -D-glucopyranose 6-(hydrogen sulfate) monohydrate 49

Glycosidase inhibitor

Synthesis of 1D-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3- cyclohexanetriol and its incorporation into a pseudo-disaccharide 33

Glycosides

Spin-labelled glycolipid analogues: D-glucose series 245

Glycosidic coupling reaction

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-O-benzyl- α -D-fucopyranose 413

Glycosurfactant

Crystal structures of methyl 6-O-acyl- α -D-galactopyranosides 9

Glycosylation

Synthesis and reactions of 1-(5-azido-5-deoxy-3-O-p-toluenesulfonyl- β -D-xylofuranosyl) derivatives of 5-alkyl- and 5-halo-pyrimidines 95

Gradient-enhanced COSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

Gradient-enhanced double-quantum filtered COSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

Gradient-enhanced TOCSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

GTOCSY

Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

 1H and ^{13}C NMR

Structure of the repeating units in the rhamno-galacturonic backbone of apple, beet and citrus pectins 155

Helix lucorum

Purification and characterization of a β -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207

HMBC

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

Hydrogen bonding

Crystal structure of anhydrous heptakis-(2,6-di-O-methyl)cyclomaltoheptaose (dimethyl- β -cyclodextrin) 73

Iminium salts

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

Karplus equation

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

Ketodeoxyaldonic acids

β -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

Lactobacillus helveticus TN-4

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

Lactobacillus helveticus TY1-2

Structure of an exocellular polysaccharide of *Lactobacillus helveticus* TN-4, a spontaneous mutant strain of *Lactobacillus helveticus* TY1-2 319

Lignin-ferulate cross-links

Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167

Lipases

Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors

- in transesterification to carbohydrates in an organic medium 215
- Lipopolysaccharide
- The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285
- Liquid-crystal properties
- Liquid-crystal properties of octyl 6'-O-alkylmelibiosides 25
- β -Mannanase
- Purification and characterization of a β -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207
- α -D-Mannopyranoside, methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-O-methyl
- Synthesis and crystal structure of methyl 4,6-dideoxy-4-(3-deoxy-L-glycero-tetronamido)-2-O-methyl- α -D-mannopyranoside, the methyl α -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
- Mannose
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381
- Modified tetrasaccharide substrates
- Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der N-Acetylglucosaminyltransferase II 403
- Monoclonal
- Characterization of a monoclonal antibody that recognizes an arabinosylated (1 \rightarrow 6)- β -D-galactan epitope in plant complex carbohydrates 295
- Mucin fragments
- Synthetic mucin fragments: synthesis of O-sulfo and O-methyl derivatives of allyl O-(β -D-galactopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-galactopyranoside as potential compounds for sulfotransferases 231
- Mushroom pathogen
- The structure of the acidic exopolysaccharide produced by *Pseudomonas* "gingeri" strain Pf9 371
- Mutant
- Structural analysis of starch from normal and *shx* (shrunk endosperm) barley (*Hordeum vulgare* L.) 361
- Neoglycolipids
- Spin-labelled glycolipid analogues: D-glucose series 245
- NMR
- Synthesis and structural analysis of disaccharides of 4-O- β -D-glucopyranosyl-D-glucosamine and 4-O- β -glucopyranosyl-2-deoxy-D-glucose 67
- Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
- Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
- NMR spectroscopy
- Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
- The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391
- N-7 nucleoside
- The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- NOE
- The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- Nonionic surfactant
- Crystal structures of methyl 6-O-acyl- α -D-galactopyranosides 9
- Octyl 6'-O-alkylmelibiosides
- Liquid-crystal properties of octyl 6'-O-alkylmelibiosides 25
- Oligosaccharide
- Structure of the capsular polysaccharide from *Alteromonas* sp. CMM 155 147
- Organocerium reagents
- Stereoselective synthesis of L-vancosamine methyl β -glycoside by addition of an organocerium reagent to O-benzyloxime ethers 83
- Oxime ethers
- Stereoselective synthesis of L-vancosamine methyl β -glycoside by addition of an organocerium reagent to O-benzyloxime ethers 83
- Pectin
- Chain conformation in concentrated pectic gels: evidence from ^{13}C NMR 131

- Structure of the repeating units in the rhamnogalacturonic backbone of apple, beet and citrus pectins 155
- Different populations of pectic hairy regions occur in apple cell walls 343
- Pentasaccharide analogues
- Synthesis of pentasaccharide analogues of the *N*-glycan substrates of *N*-acetylglucosaminyltransferases III, IV and V using tetrasaccharide precursors and recombinant β -(1 \rightarrow 2)-*N*-acetylglucosaminyltransferase II 221
- Polysaccharide
- Structural elucidation of the capsular polysaccharide of *Bacteroides fragilis* strain 23745M1 333
- O-Polysaccharide
- Synthesis and crystal structure of methyl 4,6-di-deoxy-4-(3-deoxy-L-glycero-tetronamido)- 2-O-methyl- α -D-mannopyranoside, the methyl α -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117
- Polysaccharide derivatives
- Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309
- Preparative column chromatography
- Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1
- Proteases
- Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215
- Proteus*
- The structure of the O-specific polysaccharide chain of *Proteus penneri* strain 42 lipopolysaccharide 201
- Pseudo-aminosugar
- Synthesis of 1*D*-(1,3,5/2,4)-4-acetamido-5-amino-1,2,3- cyclohexanetriol and its incorporation into a pseudo-disaccharide 33
- Pseudomonas* "gingeri" strain Pf9
- The structure of the acidic exopolysaccharide produced by *Pseudomonas* "gingeri" strain Pf9 371
- Regioselective chlorination
- Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421
- Rhamnogalacturonan
- Structure of the repeating units in the rhamnogalacturonic backbone of apple, beet and citrus pectins 155
- Rhamnogalacturonase
- Different populations of pectic hairy regions occur in apple cell walls 343
- Rhamnose
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381
- Rhizobium tropici* CIAT899
- Structural analysis of the O-antigen of the lipopolysaccharide of *Rhizobium tropici* CIAT899 285
- Ryegrass lignins
- Lignin-ferulate cross-links in grasses: active incorporation of ferulate polysaccharide esters into ryegrass lignins 167
- Selective
- Differential activities of a lipase and a protease toward straight- and branched-chain acyl donors in transesterification to carbohydrates in an organic medium 215
- Semi-empirical
- The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275
- Serotype c *Streptococcus mutans*
- Inactivation of two D-glucosyltransferases from Serotype c *Streptococcus mutans* 103220T by 1,2-epoxy-3-(α -D-glucopyranosyl)propane 433
- Small vicinal coupling constants
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381
- Snail
- Purification and characterization of a β -mannanase from the digestive tract of the edible snail *Helix lucorum* L. 207
- Soluble starch synthase
- Structural analysis of starch from normal and *shx* (shrunken endosperm) barley (*Hordeum vulgare* L.) 361
- Spin labels
- Spin-labelled glycolipid analogues: D-glucose series 245
- Spin-spin coupling
- Gradient-enhanced homonuclear 2D NMR techniques applied to oligosaccharides containing manno-hexoses provide improved correlations for protons coupled by small 3J 381

Substitution pattern

Analysis of cationic starches: determination of the substitution pattern of *O*-(2-hydroxy-3-trimethylammonium)propyl ethers 309

Sucralfate

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

Sucrose octasulfate

Conformational analysis of sucrose octasulfate by high resolution nuclear magnetic resonance spectroscopy 391

Sulfotransferases

Synthetic mucin fragments: synthesis of *O*-sulfo and *O*-methyl derivatives of allyl *O*-(β -D-galactopyranosyl)-(1 \rightarrow 3)-2-acetamido-2-deoxy- α -D-galactopyranoside as potential compounds for sulfotransferases 231

Synthesis

β -Elimination of protected aldono-1,4-lactones as a general approach to the synthesis of 2-keto-3-deoxyaldonic acids containing four to six carbon atoms 107

Synthesis and crystal structure of methyl 4,6-di-deoxy-4-(3-deoxy-L-glycero-tetronamido)-2-*O*-methyl- α -D-mannopyranoside, the methyl α -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117

Synthesis, conformation and glycosylation reaction of substituted 2,6-dioxabicyclo[3.1.1]-heptanes: 1,3-anhydro-2,4-di-*O*-benzyl- α -L-arabinopyranose 259

Synthesis and unusual glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]-heptanes: 1,2-anhydro-3,4-di-*O*-benzyl- α -D-fucopyranose 413

Thin-layer chromatography

Separation of cyclodextrins and their derivatives by thin-layer and preparative column chromatography 1

1-Thioglycosides

Synthesis of 1-thioglycosides 179

Transferase inhibitor

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

Trichloracetimidate glycosylation

Synthese von modifizierten Tetrasacchariden als analoge Akzeptor-Inhibitoren der *N*-Acetylglucosaminyltransferase II 403

Trimannosyl-di-*N*-acetylchitobiosyl structure

Complete assignments of ^{13}C NMR resonances to all the carbon atoms of the trimannosido-di-*N*-acetylchitobiosyl structure in a pentaantennary deca-saccharide glycopeptide 185

Unprotected pentitols

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

Vancosamine

Stereoselective synthesis of L-vancosamine methyl β -glycoside by addition of an organocerium reagent to *O*-benzyloxime ethers 83

Vibrio cholerae O:1, serotype Ogawa

Synthesis and crystal structure of methyl 4,6-di-deoxy-4-(3-deoxy-L-glycero-tetronamido)-2-*O*-methyl- α -D-mannopyranoside, the methyl α -glycoside of the terminal unit, and presumed antigenic determinant, of the O-specific polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 117

Viehe-Janouseck's salt

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

Vilsmeier-Haack's salt

Regioselective chlorination study of unprotected pentitols: syntheses of some 1,5-dichloro-1,5-dideoxypentitol derivatives 421

X-ray

Crystal structures of methyl 6-*O*-acyl- α -D-galactopyranosides 9

X-ray crystal structures

Carbohydrates with relevance to the structure of glycosaminoglycans: The crystal structures of 2-deoxy-2-(sulfoamino)- α -D-glucopyranose sodium salt dihydrate, 2-amino-2-deoxy- α , β -D-glucopyranose 3-(hydrogen sulfate) monohydrate, and 2-amino-2-deoxy- α -D-glucopyranose 6-(hydrogen sulfate) monohydrate 49

X-ray structure

The N-7 regioisomer of 2-chloro-2'-deoxyadenosine: synthesis, crystal structure, conformation, and stability 275